TUNNEL DUTY FREE RENOVATIONS

465 GOYEAU STREET WINDSOR, ONTARIO

ARCHITECT JP THOMSON ARCHITECTS LTD

CONTRACTOR PCR CONTRACTING INC

PERFORATED PANEL DRAWINGS

ALUMINUM PANEL SYSTEM

ACMpanelworx SYSTEM PX-10 (DRY JOINT) ALL JOINTS TO BE 5/8" UNLESS NOTED OTHERWISE

ALUMINUM PERFORATED PANELS

COLOUR TO MATCH - ANODIZED SILVER 38/91020 ALUMINUM PERFORATED PANELS

COLOUR TO MATCH - RAL 7021 BLACK GREY

NOTE: REFER TO SHEET 501 FOR ALUMINUM THICKNESS

GENERAL CONTRACTOR NOTE:

THESE DRAWINGS ARE BASED UPON OR INTERPRETATION OF THE CONTRACT DOCUMENTS. UNLESS OTHERWISE INDICATED BELOW, RETURNING THESE DRAWINGS INDICATES APPROVAL OF THE DETAILS AND VERIFICATION OF THE DIMENSIONS AND QUANTITIES SHOWN.

- ☐ DIMENSIONS AND DETAILS ARE VERIFIED, PROCEED WITH FABRICATION.
- ☐ DO NOT FABRICATE. WAIT FOR FIELD DIMENSIONS (WAITING FOR FIELD DIMENSIONS WILL DELAY DELIVERY)

CONTRACTORS SIGNATURE


D&M GLASS ASSLIMES NO RESPONSIBILITY AS TO MEASUREMENTS OR DETAILS AFFECTING ANY WORK BUT ITS OWN AND IS NOT RESPONSIBLE FOR ANY ERRORS CAUSED BY OTHER TRADES

LIST OF DRAWINGS:


= PANEL LAYOUT PLAN 101 201 - 202 = PANEL ELEVATIONS = PANEL SECTIONS


401 - 403 = PANEL DETAILS


= TYPICAL PANEL PATTERNS





TJP 04.30.19






















OUTSIDE CORNER DETAIL SCALE: 3"=1'-0"







EDGE OF PANEL 402 | SCALE: 3" = 1'-0"

CUSTOM HEXOGONAL HOLES ENGLARGED 402 SCALE: 3" = 1'-0"

BY DATE


TEL: (519)735-0093 FAX: (519)735-0075





5 x 5 x 0.25 HSS STEEL HORIZONTAL GIRT BY OTHERS PAINTED WITH ONE COAT OF AMERCOAT 68 G ZINC RICH GALVANIZING PRIMER BY PPG, TYP. 16 GA. CONTINUOUS Z-GIRT (FINISH TO MATCH PERFORATED PANELS) SPACED VERTICALLY AT 24" MAX. FASTENED TO HSS w/ (2) 1/4"-14 x 1-1/2" TEK 5 SCREWS AT INTERSECTIONS BY DMG 1/8" PERFORATED ALUMINUM PANEL BY DMG .040 ALUMINUM BENT SHAPE CLOSURE FLASHING (FINISH TO MATCH PERFORATED PANELS) FASTENED TO VERTICAL Z-GIRTS w/ 1/8" RIVETS 24" O.C. BY DMG

BOTTOM DRY JOINT DETAIL SCALE: 3" = 1'-0"



ARCHITECT: JP THOMSON ARCHITECTS LTD CONTRACTOR: PCR CONTRACTORS INC

SCALE 3/16"=1'-0" DRAWN BY TJP CAD FILE: CHKD BY RJM DATE 02.22.2019

SHEET No.

JOB N.: 1187

403

